

ANALYTICA CHIMICA ACTA, VOL. 281 (1993)

AUTHOR INDEX

- Adachi, Y.
—, Sugawara, M., Taniguchi, K. and Umezawa, Y.
Na⁺, K⁺-ATPase-based bilayer lipid membrane sensor for adenosine 5'-triphosphate 577
- Adeloju, S.B.
—, Shaw, S.J. and Wallace, G.G.
Polypyrrole-based potentiometric biosensor for urea. Part 1. Incorporation of urease 611
—, Shaw, S.J. and Wallace, G.G.
Polypyrrole-based potentiometric biosensor for urea. Part 2. Analytical optimisation 621
- Agudo, M.
—, Ríos, A. and Valcárcel, M.
Automatic continuous-flow determination of paraquat at the subnanogram per millilitre level 103
- Aizawa, M., see Khan, G.F. 527
- Alava-Moreno, F.
—, Díaz-García, M.E. and Sanz-Medel, A.
Room temperature phosphorescence optosensor for tetracyclines 637
- Albery, W.J.
—, Lennox, R.B., Magner, E., Rao, G., Armstrong, D., Dowling, R.H. and Murphy, G.M.
An amperometric enzyme electrode for bile acids 655
- Allard, B., see Ledin, A. 421
- Alt, F., see Parent, M. 153
- Anzai, J.-i.
—, Sakamura, K., Hasebe, Y. and Osa, T.
Protein sensors based on the potentiometric photore-sponse of polymer membranes doped with photochromic spiropyran 543
- Armstrong, D., see Albery, W.J. 655
- Asai, M., see Iijima, S. 483
- Asuero, A.G., see González, A.G. 179
- Barceló, D., see Lacorte, S. 71
- Bettelheim, A., see Rosen-Margalit, I. 327
- Bhargava, P.K., see Rathore, D.P.S. 173
- Bloom, N.S., see Horvat, M. 135
- Bobrowski, A., see Mrzljak, R.I. 281
- Bond, A.M., see Mrzljak, R.I. 281
- Branica, M., see Djogić, R. 291
- Branica, M., see Zelić, M. 63
- Brinkman, U.A.Th., see Van de Nesse, R.J. 373
- Burns, D.T.
—, Harriott, M. and Pornsinlapatip, P.
Flow-injection spectrophotometric determination of molybdenum(VI) by extraction with quinolin-8-ol 607
- Cardosi, M.F., see Hendry, S.P. 453
- Cardwell, T.J., see Mrzljak, R.I. 281
- Carofiglio, T.
—, Marton, D. and Lenzmann, F.
Determination of the composition of isomeric mixtures of allylstannanes by means of ¹¹⁹Sn and ¹³C NMR measurements 119
- Carpentier, R.
— and Goetze, D.C.
Microelectrochemical cell containing chloroplast membranes as a fast bioassay for catalase determination 335
- Cattrall, R.W., see Mrzljak, R.I. 281
- Champion, B.R., see Mrzljak, R.I. 281
- Chen, Q., see Diamond, D. 629
- Cheng, B.-J., see Lo, J.-M. 429
- Chiarizia, R., see Horwitz, E.P. 361
- Clechet, P., see Nyamsi Hendji, A.M. 3
- Cornelis, R., see Parent, M. 153
- Coulet, P.R., see D'Urso, E.M. 535
- Crisponi, G.
—, Cristiani, F. and Nurchi, V.
Reliability of the parameters in the resolution of overlapped Gaussian peaks 197
- Cristiani, F., see Crisponi, G. 197
- Dams, R., see Parent, M. 153
- Dams, R., see Vanhoe, H. 401
- Danielsson, B., see Rank, M. 521
- De Castro, B.
—, Gameiro, P. and Lima, J.L.F.C.
Determination of the pK_a values of sparingly soluble substances in water revisited: application to some benzodiazepines 53
- De la Guardia, M., see Dema-Khalaf, K. 249
- De la Guardia, M., see Garrigues, S. 259
- Dema-Khalaf, K.
—, Morales-Rubio, A. and De la Guardia, M.
Rapid microwave assisted hydrolysis of formetanate 249
- De Rooij, N.F., see Koudelka-Hep, M. 461
- Diamond, D.
—, Lu, J., Chen, Q. and Wang, J.
Multicomponent batch-injection analysis using an array of ion-selective electrodes 629
- Diamond, H., see Horwitz, E.P. 361
- Díaz-Cruz, J.M., see Esteban, M. 271
- Díaz-García, M.E., see Alava-Moreno, F. 637
- Dietz, M.L., see Horwitz, E.P. 361

- Djogić, R.
— and Branica, M.
Study of uranyl(VI) ion reduction at various ionic strengths of sodium perchlorate 291
- Dombek, V., see Praus, P. 397
- Dowling, R.H., see Alberly, W.J. 655
- Düker, A., see Ledin, A. 421
- D'Urso, E.M.
— and Coulet, P.R.
Effect of enzyme ratio and enzyme loading on the performance of a bienzymatic electrochemical phosphate biosensor 535
- Esteban, M.
— and Díaz-Cruz, J.M.
General voltammetric method for studying metal complexation in macromolecular systems 271
- Fan, Y.-X.
— and Zheng, Y.-X.
Effect of cationic micelles on the fluorescence of the zirconium-morin complex 353
- Fukasawa, T.
—, Iwatsuki, M. and Furukawa, M.
State analysis and relationship between lattice constants and compositions including minor elements of synthetic magnetite and maghemite 413
- Furukawa, M., see Fukasawa, T. 413
- Gallignani, M., see Garrigues, S. 259
- Gameiro, P., see De Castro, B. 53
- Garrigues, S.
—, Gallignani, M. and De la Guardia, M.
Flow-injection determination of water in organic solvents by near-infrared spectrometry 259
- Ge, K., see Xie, Y. 207
- Geise, R.J.
—, Rao, S.Y. and Yacynych, A.M.
Electropolymerized 1,3-diaminobenzene for the construction of a 1,1'-dimethylferrocene mediated glucose biosensor 467
- Goetze, D.C., see Carpentier, R. 335
- González, A.G.
—, Herrador, M.A. and Asuero, A.G.
Resolution of acid strength in non-aqueous acid-base titrations 179
- Gooijer, C., see Van de Nesse, R.J. 373
- Gram, J., see Rank, M. 521
- Grätzel, M., see König, B. 13
- Hall, C.E.
— and Hall, E.A.H.
Covalent immobilisation of glucose oxidase on methacrylate copolymers for use in an amperometric glucose sensor 645
- Hall, E.A.H., see Hall, C.E. 645
- Hamilton, I.C., see Porter, N. 229
- Hara, H.
—, Ishio, N. and Takahashi, K.
High speed potentiometric analyzer equipped with an ion-selective electrode detector 45
- Harriott, M., see Burns, D.T. 607
- Hart, B.T., see Porter, N. 229
- Hasebe, Y., see Anzai, J.-i. 543
- Hendry, S.P.
—, Cardosi, M.F., Turner, A.P.F. and Neuse, E.W.
Polyferrocenes as mediators in amperometric biosensors for glucose 453
- Hernández-Cassou, S., see Saurina, J. 593
- Herrador, M.A., see González, A.G. 179
- Hey, J., see Mrzljak, R.I. 281
- Hiraide, M., see Sorouradin, M.-H. 191
- Höbert, H., see Meyer, K. 161
- Hoorweg, G.Ph., see Van de Nesse, R.J. 373
- Horiguchi, K., see Kaku, S. 35
- Horvat, M.
—, Bloom, N.S. and Liang, L.
Comparison of distillation with other current isolation methods for the determination of methyl mercury compounds in low level environmental samples. Part 1. Sediments 135
- Horwitz, E.P.
—, Chiarizia, R., Dietz, M.L., Diamond, H. and Nelson, D.M.
Separation and preconcentration of actinides from acidic media by extraction chromatography 361
- Hosaka, S., see Iijima, S. 483
- Hu, Y.
—, Zhang, Y. and Wilson, G.S.
A needle-type enzyme-based lactate sensor for in vivo monitoring 503
- Huang, S.-D., see Liu, Z.-S. 185
- Ibonai, M., see Iijima, S. 483
- Igarashi, S.
— and Yotsuyanagi, T.
Spectrofluorimetric determination of traces of zinc with the cadmium- $\alpha, \beta, \gamma, \delta$ -tetrakis(4-sulphophenyl)porphine complex 347
- Iijima, S.
—, Mizutani, F., Yabuki, S., Tanaka, Y., Asai, M., Katsura, T., Hosaka, S. and Ibonai, M.
Ferrocene-attached L-lysine polymers as mediators for glucose-sensing electrodes 483
- Ikariyama, Y., see Khan, G.F. 527
- Ishio, N., see Hara, H. 45
- Iwatsuki, M., see Fukasawa, T. 413
- Jaffrezic-Renault, N., see Nyamsi Hendji, A.M. 3
- Jagner, D.
—, Renman, L. and Stefansdottir, S.H.
Determination of iron(III) and titanium(IV) as their Solochrome Violet RS complexes by constant-current stripping potentiometry. Part 1. Automated single-point calibration method for iron(III) 305
—, Renman, L. and Stefansdottir, S.H.
Determination of iron(III) and titanium(IV) as their Solochrome Violet RS complexes by constant-current

- stripping potentiometry. Part 2. Partial least-squares regression calibration procedure for iron(III) and titanium(IV) 315
- Kaku, S.
—, Nakanishi, S., Horiguchi, K. and Sato, M.
Amperometric and colorimetric enzyme immunoassay for urinary human serum albumin using a plasma-treated membrane 35
- Kalabokas, P., see Séquaris, J.-M. 341
- Karlsson, S., see Ledin, A. 421
- Karube, I., see Navera, E.N. 673
- Katayama, M.
—, Takeuchi, H. and Taniguchi, H.
Determination of amines by flow-injection analysis based on aryl oxalate-Sulphorhodamine 101 chemiluminescence 111
- Katsura, T., see Iijima, S. 483
- Kawaguchi, H., see Sorouradin, M.-H. 191
- Khan, G.F.
—, Kobatake, E., Ikariyama, Y. and Aizawa, M.
Amperometric biosensor with PQQ enzyme immobilized in a mediator-containing polypyrrole matrix 527
- Kim, Y.-S., see Sorouradin, M.-H. 191
- Kissa, E.
Determination of acetylacetone and alcohols in titanium chelates 385
- Knight, R.W., see Mrzljak, R.I. 281
- Kobatake, E., see Khan, G.F. 527
- Kobayakawa, I., see Yamada, H. 95
- König, B.
— and Grätzel, M.
Detection of human T-lymphocytes with a piezoelectric immunosensor 13
- Koudelka-Hep, M.
—, Strike, D.J. and De Rooij, N.F.
Miniature electrochemical glucose biosensors 461
- Krull, U.J., see Nikolelis, D.P. 569
- Kumar, M., see Rathore, D.P.S. 173
- Kvasnik, F., see Lennie, A.R. 265
- Lacorte, S.
—, Molina, C. and Barceló, D.
Screening of organophosphorus pesticides in environmental matrices by various gas chromatographic techniques 71
- Lahuerta Zamora, L.
— and Martínez Calatayud, J.
Flow-injection spectrophotometric determination of amino acids based on an immobilised copper(II)-zincon system 601
- Law, B., see Van de Nesse, R.J. 373
- Ledin, A.
—, Karlsson, S., Düker, A. and Allard, B.
Applicability of photon correlation spectroscopy for measurement of concentration and size distribution of colloids in natural waters 421
- Lee, J.-D., see Lo, J.-M. 429
- Lennie, A.R.
— and Kvasnik, F.
Near-infrared sensing utilising the evanescent field 265
- Lennox, R.B., see Albery, W.J. 655
- Lenzmann, F., see Carofiglio, T. 119
- Li, H., see O'Donnell, J. 129
- Liang, L., see Horvat, M. 135
- Liang, Y., see Xie, Y. 207
- Lima, J.L.F.C., see De Castro, B. 53
- Liu, Z.-S.
— and Huang, S.-D.
Automatic on-line preconcentration system for graphite furnace atomic absorption spectrometry for the determination of trace metals in sea water 185
- Lo, J.-M.
—, Cheng, B.-J., Tseng, C.-L. and Lee, J.-D.
Preconcentration of nickel-63 in sea water for liquid scintillation counting 429
- Love, M.D., see Uhegbu, C.E. 549
- Lu, J., see Diamond, D. 629
- Lukaszewski, Z., see Szymanski, A. 443
- Magner, E., see Albery, W.J. 655
- Mahoney, L.A.
—, O'Dea, J. and Osteryoung, J.G.
Development and characterization of an automated flow system for voltammetric analysis 25
- Martelet, C., see Nyamsi Hendji, A.M. 3
- Martin, A.F.
— and Nieman, T.A.
Glucose quantitation using an immobilized glucose dehydrogenase enzyme reactor and a tris(2,2'-bipyridyl)-ruthenium(II) chemiluminescent sensor 475
- Martin, G.B.
— and Rechnitz, G.A.
Integrated enzyme reactor/detector for the determination of multiple substrates by image analysis 557
- Martínez Calatayud, J., see Lahuerta Zamora, L. 601
- Marton, D., see Carofiglio, T. 119
- Massardier, V.
— and Vialle, J.
Investigation of liquid chromatographic systems for the separation of sulphonium salts 391
- Matsunaga, T., see Nakamura, N. 585
- Meyer, K.
—, Meyer, M., Hobert, H. and Weber, I.
Qualitative and quantitative mixture analysis by library search: infrared analysis of mixtures of carbohydrates 161
- Meyer, M., see Meyer, K. 161
- Michałowski, J.
— and Trojanowicz, M.
Catalytic determination of copper in blood plasma using flow-injection biamperometry 299
- Mizutani, F., see Iijima, S. 483
- Molina, C., see Lacorte, S. 71
- Morales-Rubio, A., see Dema-Khalaf, K. 249
- Morrison, R., see Porter, N. 229

- Mrzljak, R.I.
—, Bond, A.M., Cardwell, T.J., Cattrall, R.W., Knight, R.W., Newman, O.M.G., Champion, B.R., Hey, J. and Bobrowski, A.
On-line monitoring of cobalt in zinc plant electrolyte by differential pulse adsorptive stripping voltammetry 281
- Murphy, G.M., see Albery, W.J. 655
- Nakamura, N.
— and Matsunaga, T.
Highly sensitive detection of allergen using bacterial magnetic particles 585
- Nakanishi, S., see Kaku, S. 35
- Naser, N., see Wang, J. 19
- Navera, E.N.
—, Suzuki, M., Yokoyama, K., Tamiya, E., Takeuchi, T., Karube, I. and Yamashita, J.
Micro-choline sensor for acetylcholinesterase determination 673
- Neely, F.L.
Flow-injection determination of tylosin in fermentation broth 243
- Nelson, D.M., see Horwitz, E.P. 361
- Netchiporuk, L.I., see Nyamsi Hendji, A.M. 3
- Neuse, E.W., see Hendry, S.P. 453
- Newman, O.M.G., see Mrzljak, R.I. 281
- Nieman, T.A., see Martin, A.F. 475
- Nikolelis, D.P.
—, Tzanelis, M.G. and Krull, U.J.
Electrochemical transduction of the acetylcholine-acetylcholinesterase reaction by bilayer lipid membranes 569
- Nurchi, V., see Crisponi, G. 197
- Nyamsi Hendji, A.M.
—, Jaffrezic-Renault, N., Martelet, C., Clechet, P., Shul'ga, A.A., Strikha, V.I., Netchiporuk, L.I., Soldatkin, A.P. and Wlodarski, W.B.
Sensitive detection of pesticides using a differential IS-FET-based system with immobilized cholinesterases 3
- O'Dea, J., see Mahoney, L.A. 25
- O'Donnell, J.
—, Li, H., Rusterholz, B., Pedrazza, U. and Simon, W.
Development of magnesium-selective ionophores 129
- Okada, T.
Effect of conformational changes on the reversed-phase chromatographic retention of polyoxyethylenes: quantitative interpretation based on a retention model in combination with molecular mechanics 85
- Osa, T., see Anzai, J.-i. 543
- Osteryoung, J.G., see Mahoney, L.A. 25
- Pardue, H.L., see Uhegbu, C.E. 549
- Parent, M.
—, Cornelis, R., Dams, R. and Alt, F.
Investigation of extraction and back-extraction behaviour of platinum(IV) with rubeanic acid in tributyl phosphate, with tributyl phosphate and with thenoyltrifluoroacetone in *n*-butyl alcohol-acetophenone by means of platinum-191 radiotracer for platinum-enrichment purposes 153
- Pedrazza, U., see O'Donnell, J. 129
- Peng, W.
— and Wang, E.
Preparation and characterization of a multi-cylinder microelectrode coupled with a conventional glassy carbon electrode and its application to the detection of dopamine 663
- Pfeiffer, D.
—, Scheller, F.W., Setz, K. and Schubert, F.
Amperometric enzyme electrodes for lactate and glucose determinations in highly diluted and undiluted media 489
- Pižeta, I., see Zelić, M. 63
- Pornsinsinlapatip, P., see Burns, D.T. 607
- Porter, N.
—, Hart, B.T., Morrison, R. and Hamilton, I.C.
The use of a pH gradient in flow-injection analysis in differentiating zinc and cadmium in a binary mixture 229
- Praus, P.
— and Dombek, V.
 β -Cyclodextrin in the capillary isotachophoretic separation of chlorophenols 397
- Rank, M.
—, Gram, J. and Danielsson, B.
Industrial on-line monitoring of penicillin V, glucose and ethanol using a split-flow modified thermal biosensor 521
- Rao, G., see Albery, W.J. 655
- Rao, S.Y., see Geise, R.J. 467
- Rathore, D.P.S.
—, Bhargava, P.K., Kumar, M. and Talra, R.K.
Indicator for the titrimetric determination of calcium and total calcium plus magnesium with ethylenediaminetetraacetate in water 173
- Rechnitz, G.A., see Martin, G.B. 557
- Renman, L., see Jagner, D. 305, 315
- Ríos, A., see Agudo, M. 103
- Rishpon, J., see Rosen-Margalit, I. 327
- Rosen-Margalit, I.
—, Bettelheim, A. and Rishpon, J.
Cobalt phthalocyanine as a mediator for the electrooxidation of glucose oxidase at glucose electrodes 327
- Rusterholz, B., see O'Donnell, J. 129
- Sakamura, K., see Anzai, J.-i. 543
- Sanz-Medel, A., see Alava-Moreno, F. 637
- Sato, M., see Kaku, S. 35
- Saurina, J.
— and Hernández-Cassou, S.
Flow-injection spectrophotometric determination of lysine in feed samples 593
- Scheller, F.W., see Pfeiffer, D. 489
- Schubert, F., see Pfeiffer, D. 489
- Séquaris, J.-M.
— and Kalabokas, P.
Application of an iodide ion-selective electrode to the determination of anionic polyelectrolytes and colloids with a cationic surfactant 341
- Setz, K., see Pfeiffer, D. 489

- Shaw, S.J., see Adeloju, S.B. 611, 621
 Shul'ga, A.A., see Nyamsi Hendji, A.M. 3
 Simon, W., see O'Donnell, J. 129
 Soldatkin, A.P., see Nyamsi Hendji, A.M. 3
 Sorouradin, M.-H.
 —, Hiraide, M., Kim, Y.-S. and Kawaguchi, H.
 Quantitative desorption of humic substances from Amberlite XAD resins with an alkaline solution of sodium dodecyl sulfate 191
 Stefansdottir, S.H., see Jagner, D. 305, 315
 Strike, D.J., see Koudelka-Hep, M. 461
 Strikha, V.I., see Nyamsi Hendji, A.M. 3
 Sugawara, M., see Adachi, Y. 577
 Suzuki, M., see Navera, E.N. 673
 Szymanski, A.
 — and Lukaszewski, Z.
 Tensammetric studies of separation of surfactants. Part 2. Investigation of adsorption and preconcentration of non-ionic surfactants in PTFE tubes 443

 Takahashi, K., see Hara, H. 45
 Takeuchi, H., see Katayama, M. 111
 Takeuchi, T., see Navera, E.N. 673
 Talra, R.K., see Rathore, D.P.S. 173
 Tamiya, E., see Navera, E.N. 673
 Tanaka, Y., see Iijima, S. 483
 Taniguchi, H., see Katayama, M. 111
 Taniguchi, K., see Adachi, Y. 577
 Toosi, S., see Uhegbu, C.E. 549
 Trojanowicz, M., see Michałowski, J. 299
 Tseng, C.-L., see Lo, J.-M. 429
 Turner, A.P.F., see Hendry, S.P. 453
 Tzanelis, M.G., see Nikolelis, D.P. 569

 Uhegbu, C.E.
 —, Pardue, H.L., Love, M.D. and Toosi, S.
 Transient data to predict steady-state responses for enzyme-based reactor-sensor systems 549
 Umezawa, Y., see Adachi, Y. 577

 Valcárcel, M., see Agudo, M. 103
 Vandecasteele, C., see Vanhoe, H. 401
 Van de Nesse, R.J.
 —, Hoornweg, G.Ph., Gooijer, C., Brinkman, U.A.Th., Velthorst, N.H. and Law, B.
 Comparison of ultraviolet-laser induced and conventional fluorescence detection in conventional-size liquid chromatography of natively fluorescent analytes 373
 Vanhoe, H.
 —, Dams, R., Vandecasteele, C. and Versieck, J.
 Determination of boron in human serum by inductively coupled plasma mass spectrometry after a simple dilution of the sample 401
 Velthorst, N.H., see Van de Nesse, R.J. 373

 Versieck, J., see Vanhoe, H. 401
 Vialle, J., see Massardier, V. 391

 Wada, H., see Yamada, H. 95
 Wallace, G.G., see Adeloju, S.B. 611, 621
 Wang, E., see Peng, W. 663
 Wang, J.
 —, Naser, N. and Wollenberger, U.
 Use of tyrosinase for enzymatic elimination of acetaminophen interference in amperometric sensing 19
 Wang, J., see Diamond, D. 629
 Wang, J., see Xie, Y. 207
 Weber, I., see Meyer, K. 161
 Wilson, G.S., see Hu, Y. 503
 Wilson, G.S., see Zhang, Y. 513
 Wlodarski, W.B., see Nyamsi Hendji, A.M. 3
 Wollenberger, U., see Wang, J. 19

 Xie, Y.
 —, Wang, J., Liang, Y., Ge, K. and Yu, R.
 Background bilinearization by the use of generalized standard addition method on two-dimensional data 207

 Yabuki, S., see Iijima, S. 483
 Yacynych, A.M., see Geise, R.J. 467
 Yamada, H.
 —, Kobayakawa, I., Yuchi, A. and Wada, H.
 Flow-injection determination of traces of potassium by extraction with bis[2-(5'-bromo-2'-pyridylazo)-5-(*N*-propyl-*N*-sulphopropylamino)phenolato]cobaltate(III) and crypt-and[2.2.2] 95
 Yamashita, J., see Navera, E.N. 673
 Yao, T.
 Enzyme electrode for the successive detection of hypoxanthine and inosine 323
 Yokoyama, K., see Navera, E.N. 673
 Yotsuyanagi, T., see Igarashi, S. 347
 Yu, R., see Xie, Y. 207
 Yuchi, A., see Yamada, H. 95

 Zelić, M.
 —, Pižeta, I. and Branica, M.
 Study of cadmium adsorption from iodide media by voltammetry combined with data treatment by deconvolution 63
 Zelić, M.
 Factors affecting maximum relative concentrations of binary and ternary complexes in solutions 435
 Zhang, Y.
 — and Wilson, G.S.
 In vitro and in vivo evaluation of oxygen effects on a glucose oxidase based implantable glucose sensor 513
 Zhang, Y., see Hu, Y. 503
 Zheng, Y.-X., see Fan, Y.-X. 353